IN THE CLAIMS:

- 1. (Currently Amended) An isolated polynucleotide [which encodes a *Bacillus* thuringiensis] encoding a *Bacillus* species insecticidal [toxin or insecticidal fragment thereof, wherein said polynucleotide hybridizes under with one or more of the nucleotide sequences selected from the group consisting of SEQ ID NO:2, SEQ ID NO:3 (tic901), SEQ ID NO:5(tic1201), SEQ ID NO:7 (tic407), SEQ ID NO:9 (tic417), and SEQ ID NO:32 or with the complement thereof encoding an insecticidal] protein toxic to an insect pest, wherein said protein comprises the amino acid sequence substantially as set forth in SEQ ID NO:6.
- 2. (Currently Amended) The isolated polynucleotide of claim 1, wherein said toxin is active against a coleopteran insect pest.
- 3. (Currently Amended) The isolated polynucleotide according to claim 2, wherein said coleopteran insect pest is selected from the group consisting of a corn rootworm and a Colorado potato beetle.
- 4. (Currently Amended) The polynucleotide according to claim 3, wherein said corn rootworm is selected from the group consisting of a western corn rootworm, a southern corn rootworm, or a northern corn rootworm.
- 5. (Currently Amended) The polynucleotide according to claim 1, comprising the nucleotide sequence as set forth in [wherein said nucleotide sequence is SEQ ID NO:3,] SEQ ID NO:5[, SEQ ID NO:7, SEQ ID NO:9, and SEQ ID NO:32].
- 6. (Currently Amended) [A] <u>The polynucleotide of claim 1</u> comprising a <u>modified</u> nucleotide sequence [which encodes an approximately 34 to about 39 kDa toxin active against a coleopteran pest, wherein said nucleotide sequence has been optimized] <u>intended</u> for [expression] <u>use</u> in plants[,] and [wherein said toxin comprises] <u>encoding substantially</u> the amino acid sequence [selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4,] <u>as set forth in SEQ ID NO:6</u>[, SEQ ID NO:8, SEQ ID NO:10, and SEQ ID NO:33] from amino acid position 44-365.

- 7. (Currently Amended) A host cell transformed to contain a polynucleotide comprising a modified nucleotide sequence intended for use in plants and encoding substantially the amino acid sequence as set forth in SEQ ID NO:6 from amino acid position 44-365 [an insecticidal protein or insecticidal fragment thereof wherein said polynucleotide comprises a nucleotide sequence as set forth in a sequence selected from the group consisting of SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, and SEQ ID NO:32].
- 8. (Currently Amended) The host cell of claim 7, wherein said host cell is [selected from the group consisting of] a plant cell[, a bacterial cell, a fungal cell, an insect cell, and a mammalian cell].

9. -13. (Cancelled)

14. (Currently Amended) A method for detecting a [first nucleotide sequence] polynucleotide from a *Bacillus* species encoding an insecticidal protein exhibiting an amino acid sequence substantially as set forth in SEQ ID NO:6 from amino acid position 44-365, wherein said [first nucleotide sequence] polynucleotide hybridizes to [a second] the nucleotide sequence [that is] selected from the group consisting of SEQ ID NO:2, SEQ ID NO:3 (tic901), SEQ ID NO:5(tic1201), SEQ ID NO:7 (tic407), SEQ ID NO:9 (tic417), and SEQ ID NO:32 (tic431) or with the complement thereof under stringent hybridization conditions.

15. – 17. (Cancelled)

- 18. (Currently Amended) The [method according to] host cell of claim [47] 8 [wherein said host cell is a plant cell] selected from the group of plant cells comprising a monocot plant cell and a dicot plant cell.
- 19. (Currently Amended) The [method according to] host cell of claim 18 wherein said monocot plant cell is selected from the group of plant cells comprising a corn plant cell, a wheat plant cell, a rice plant cell, an oat plant cell, an onion plant cell, and a grass plant cell.

- 20. (Currently Amended) The [method according to] host cell of claim 18 wherein said dicot plant cell is selected [fro] from the group of plant cells comprising a cotton plant cell, a canola plant cell, a soybean plant cell, a fruit tree plant cell, an okra plant cell, a pepper plant cell, an ornamental plant cell, a sunflower plant cell, a cucurbit plant cell, and a melon plant cell.
- 21. (Currently Amended) An isolated nucleic acid molecule [eomprising a polynucleotide sequence] encoding a *Bacillus* species toxin protein [wherein said toxin protein comprises a sequence] that exhibits at least about [70]78% sequence identity to [a nucleotide sequence selected from the group of] the amino acid [sequences consisting of SEQ ID NO:2, SEQ ID NO:4,] sequence as set forth in SEQ ID NO:6[, SEQ ID NO:8, SEQ ID NO:10, and SEQ ID NO:33,] from amino acid position 44-365 or a coleopteran-[active]toxic variant or portion thereof.

22. - 26. (Cancelled)

- 27. (Currently Amended) A recombinant DNA construct, comprising a polynucleotide sequence encoding [an] a <u>Bacillus species</u> insecticidal protein[, wherein said polynucleotide sequence is] exhibiting at least about [70]78% [identical] identity to the amino acid sequence as set forth in SEQ ID NO:[13]6 from amino acid position 44-365[, said insecticidal protein being selected from the group consisting of all or an insecticidal fragment of a protein as set forth in SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:6, SEQ IDNO:10, and SEQ ID NO:33].
- 28. (Cancelled) [The recombinant DNA construct of claim 27, wherein said polynucleotide sequence is as set forth in SEQ ID NO:9].

29. - 34. (Cancelled)

35. (Currently Amended) [A] <u>The</u> recombinant <u>DNA construct</u> [host cell transformed with a polynucleotide sequence] of claim 27 for use in producing a recombinant host cell,

wherein said [encoding an] insecticidal protein is selected from the group consisting of SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, and SEQ ID NO:33.

- 36. (Currently Amended) The recombinant [host cell] <u>DNA construct</u> of claim 35, wherein said recombinant host cell is a plant cell.
 - 37. 47. (Cancelled)
- 48. (New) The isolated polynucleotide of claim 1, wherein said *Bacillus* species is selected from the group consisting of a *Bacillus thuringiensis*, a *Bacillus sphaericus*, and a *Bacillus laterosperous*.